

Section 1: Identification of the Substance/Mixture and of the Company Undertaking

7760

Product identifier used on the label:

Product Name: ADAPT No Sting Universal Remover Wipe

Other means of identification:

Product Codes: 7760

Manufacturer MSDS Number: 7760

Recommended use of the chemical and restrictions on use:

Product Uses: Removes tapes, barriers, cements and their adhesive residue from the skin.

For external use only.

Product Restrictions: Avoid use on delicate or sensitive areas of skin (eyes, mouth, ears, nose, and

vagina). Discontinue use if irritation occurs.

Chemical manufacturer address and telephone number:

Manufacturer Name: Hollister Incorporated

Manufacturer Address 1: 2000 Hollister Drive

Manufacturer City: Libertyville

Manufacturer State: Illinois

Manufacturer Zip Code: 60048

Manufacturer Country: USA

Manufacturer Web: www.Hollister.com

Business Phone: 847-680-1000

Emergency phone number:

Emergency Phone: 847-680-1000

Revision Date: 2018-06-06 20:23:08

Section 2: Hazards Identification

7760

Classification of the chemical in accordance with CFR 1910.1200(d)(f):



Signal Words: DANGER.

Emergency Overview: DANGER! Flammable. Hazardous to the aquatic environment.

Product:

GHS Class: Flammable Liquid, Category 2.

Hazardous to the aquatic environment. Category 2

Hazard Statements: H400 - Toxic to aquatic life.

H410 - Toxic to aquatic life with long lasting effects.

H225 - Highly flammable liquid and vapour.

Precautionary Statements: P403+P235 - Store in a well-ventilated place. Keep cool.

P233 - Keep container tightly closed. P273 - Avoid release to the environment.

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking. P370+P378 - In case of fire: Use dry chemical, carbon dioxide to extinguish small

fires. Use water for large fires.

P501 - Dispose of contents/container in accordance with Local, State, Federal and

Provincial regulations.

Hazards not otherwise classified that have been identified during the classification process:

Section 3: Composition/Information on Ingredients

7760

Mixtures:

Ingredient Name	CAS Number	Ingredient Percent	EC Number	Comments
Hexamethyldisiloxane	107-46-0	100% by weight	203-492-7	

Section 4: First Aid Measures

7760

Description of necessary measures:

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure

adequate flushing of the eyes by separating the eyelids with fingers. Get

immediate medical attention.

Skin Contact: No effects anticipated If symptoms persist, call a physician.

In the case of accidental inhalation, remove to fresh air. If not breathing, give

artificial respiration or give oxygen by trained personnel. Consult a physician if

necessary.

Ingestion: If swallowed, do NOT induce vomiting. Call a physician or poison control center

immediately. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed:

Indication of immediate medical attention and special treatment needed

Note To Physicians: None.

Section 5: Firefighting Measures

7760

Suitable and unsuitable extinguishing media

Extinguishing Media: Use carbon dioxide (CO2) or dry chemical when fighting fires involving this

material.

Specific hazards arising from the chemical

Special protective equipment and precautions for fire-fighters

Fire Fighting Instructions: Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed

containers to minimize risk of rupture. Do not enter confined fire space without full

protective gear. If possible, contain fire run-off water.

Protective Equipment: As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH

(approved or equivalent) and full protective gear.

NFPA Health: 1
NFPA Fire: 3
NFPA Reactivity: 0

Section 6: Accidental Release Measures

7760

Personal precautions, protective equipment and emergency procedures

Personnel Precautions: For large spills: Evacuate area and keep unnecessary and unprotected personnel

from entering the spill area.

Methods and materials for containment and cleaning up

Methods for Containment: For large spills: Contain spills with an inert absorbent material such as soil, sand or

oil dry.

Methods for Cleanup: For large spills: Remove all sources of ignition. Collect the wipes with a non

sparking tool and absorb or wipe any residual liquids. Place in a suitable container for proper disposal. Use appropriate protective apparel as described in Section 8.

Avoid contact with skin and eyes.

Environmental precautions

Environmental Precautions: For large spills: Avoid runoff into storm sewers, ditches, and waterways.

Section 7: Handling and Storage

7760

Precautions for safe handling

Handling: Use with adequate ventilation. Avoid breathing vapor, aerosol or mist. Material will

accumulate static charges which may cause an electrical spark (ignition source).

Use proper grounding procedures.

Special Handling: Do not re-use empty containers.

Hygiene Practices: Wash thoroughly after handling. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage: Store in a cool, dry, well ventilated area away from sources of heat, combustible

materials, direct sunlight, and incompatible substances. Keep container tightly

closed when not in use.

Section 8: Exposure Controls/Personal Protection

7760

Exposure Guidelines

Exposure Guidelines - Ingredient Based:

Hexamethyldisiloxane:

ACGIH: Not established.

OSHA: Not established.

Appropriate engineering controls

Engineering Controls: No special protective equipment required under normal conditions of use. General

ventilation is sufficient if this product is being used in a controlled medical setting

(clinic, hospital, medical office) for its sole intended topical purpose.

Individual protection measures

Eye Protection: No special protective equipment required under normal conditions of use. If

splashes are likely to occur, wear: Chemical splash goggles.

Face Protection: No special protective equipment required under normal conditions of use. If

splashes are likely to occur, wear: Chemical splash goggles.

Skin Protection: No special protective equipment required under normal conditions of use.

Respiratory Protection: No special protective equipment required under normal conditions of use. No

personal respiratory protective equipment is normally required. The need for respiratory protection will vary according to the airborne concentrations and

environmental conditions (such as in manufacturing).

Hygiene Practices: Wash thoroughly after handling. Avoid contact with eyes.

Section 9: Physical and Chemical Properties

7760

Physical and chemical properties

Physical State: Physical State Appearance: Liquid presaturated wipes.

Color: Colorless.

Odor: Odorless.

pH: Not determined.

Melting Temperature: Not determined.

Boiling Temperature: 100 °C (212°F)

Flash Point: -1°C (30°F)

Flash Point Method: closed cup.

Ignition Temperature: Not determined.

Lower Flammable Limit: 1.0%
Upper Flammable Limit: 38%

Vapor Pressure: 35 mmHg @ 25 °C (77°F)

Vapor Density: 5.6

Solubility: Insoluble
Specific Gravity: 0.760 (25 °C)

Evaporation Rate: >1(Ref: water = 1).

Percent Volatile: Not determined.

Viscosity: Not determined.

Odor Threshold: Not determined.

Octanol Water Partition Coef: Coefficient of Water/Oil Distribution: Not determined.

Section 10: Stability and Reactivity

7760

Reactivity:

Chemical Stability:

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of hazardous reactions:

Hazardous Polymerization: Not reported.

Conditions To Avoid:

Conditions To Avoid: Keep away from heat, ignition sources and incompatible materials.

Incompatible Materials:

Incompatible Materials: Oxidizing agents. Strong acids and alkalis.

Hazardous Decomposition Heating may produce an irritant and harmful gas.

Products:

Section 11: Toxicological Information

7760

Toxicological Information:

Product:

Route of Exposure: Eyes. Skin. Inhalation. Ingestion.

Target Organ Data: Respiratory system . Eyes

Acute Inhalation Effects: Prolonged or excessive inhalation may cause respiratory tract irritation.

Acute Skin Effects: May cause irritation.

Acute Ingestion Effects: May be harmful if ingested.

Acute Eye Effects: May cause eye irritation.

Hexamethyldisiloxane:

Eye Toxicity: Administration into the eye - Rabbit Standard Draize test : 100 uL/24H [Mild]

(RTECS)

Skin Toxicity: Administration onto the skin - Rabbit LD50 - Lethal dose , 50 percent kill : 16

mL/kg [Peripheral Nerve and Sensation - Flaccid paralysis with appropriate anesthesia Behavioral - Altered sleep time (including change in righting reflex) Behavioral - Somnolence (general depressed activity)] change in righting reflex) Behavioral - Somnolence (general depressed activity)] Administration onto the skin - Rabbit Standard Draize test : 500 mg/24H [Mild] (RTECS)

Ingestion Toxicity: Oral - Rat LDLo - Lowest published lethal dose : 8 mL/kg [Behavioral -

Altered sleep time (including change in righting reflex) Behaviorial -

Somnolence (general depressed activity)] (RTECS)

Inhalation Toxicity: Inhalation - Rat LC50 - Lethal concentration, 50 percent kill : 15956 ppm /4H [

Behavioral - Somnolence (general depressed activity) Behavioral - Convulsions or effect on seizure threshold Behavioral - Ataxia] (RTECS)

Section 12: Ecological Information

7760

Ecotoxicity:

Product:

Ecotoxicity: Toxic to aquatic life with long lasting effects.

Hexamethyldisiloxane:

Effect of Material On Aquatic: LC50 - Oncorhynchus mykiss (rainbow trout) - 3.02 mg/l - 96 h

Persistence and degradability:

Product:

Biodegredation: Not readily biodegradable.

Section 13: Disposal Considerations

7760

Description of waste:

Waste Disposal: Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the

classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local

guidelines.

Section 14: Transport Information

7760

DOT Shipping Name: Not Applicable

DOT UN Number: Not Applicable

Notes from Section 14: Not considered a dangerous good for shipping

Section 15: Regulatory Information

7760

Safety, health and environmental regulations specific for the product:

Regulatory - Product Based:

Canada WHMIS:

EC Number:

Controlled - Class: B2 Flammable Liquid.

203-492-7

Regulatory - Ingredient Based:

Hexamethyldisiloxane:

Canada DSL: Listed

TSCA Inventory Status: Listed

Section 16: Additional Information

7760

Issue Date: 04/07/2014

Revision Date: 2018-06-06 20:23:08

Disclaimer: This product is exempt from Safety Data Sheet regulations as the product is for

consumer use. The information contained in this Safety Data Sheet (SDS) is offered as a guide to the use and handling of this material. All safety aspects of all Hollister products are thoroughly evaluated prior to commercialization. This SDS has been prepared in good faith by technically knowledgeable personnel. Hollister Incorporated shall not be held liable for any damages, losses or injuries of any nature which may result from the use of or reliance upon any information contained in this SDS. Each individual should make a determination as to the

suitability of the information for his or her particular purpose(s).

Copyright: Copyright© 1996-2015 Actio Corporation. All Rights Reserved.

HMIS:

Health	1
Flammability	3
Reactivity	0
PPE	Х

Chronic Health Hazard

NFPA:



Other Information:

Copyright © 1996-2018 Enviance Inc. All Rights Reserved.